



## 1. Identification

Product identifier	SUPROX RESTROOM CLEANER
Other means of identification	
SDS number	548N-84A
Product code	HIL00105
Recommended use	General Cleaner
Recommended restrictions	None known.
Manufacturer/Importer/Supplier/I	Distributor information
Manufacturer	
Manufacturer	
Company name	HILLYARD INDUSTRIES
Address	302 North Fourth St.
	St. Joseph, MO 64501
Contact person	Regulatory Affairs
Telephone number	(816) 233-1321 (Ext. 8285)
Fax	(816) 383-8485
E-mail	regulatoryaffairs@hillyard.com
Emergency telephone #	(800) 424-9300
	(Only in the event of chemical emergency involving a spill, leak, fire, exposure,
	or accident involving chemicals.)

# 2. Hazard(s) identification

Physical hazards	Not classified.	
Health hazards	Serious eye damage/eye irritation	Category 1
Environmental hazards	Not classified.	
OSHA defined hazards	Not classified.	

Label elements



	$\checkmark$
Signal word	Danger
Hazard statement	Causes serious eye damage. May be harmful if swallowed. May cause respiratory irritation. May cause skin irritation.
Precautionary statement	
Prevention	Do not get in eyes, on skin, and clothing. Do not ingest. If prolonged or repeated contact with concentrate is possible, wear rubber or other impervious gloves and splash goggles. Use only as directed: Improper dilution can lead to adverse health effects.
Response	If swallowed: Rinse mouth. Do NOT induce vomiting. Get medical advice/attention. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If on skin: Wash with plenty of water. Get medical attention if irritation develops and persists If inhaled: Remove person to fresh air and keep comfortable for breathing.
Storage	Store away from incompatible materials.
Disposal	Buyer assumes all risk and liability associated with disposal of this product (original concentration or dilution) in violation of applicable law. Waste from normal use may be sewered to a public-owned treatment works in compliance with applicable federal, state and local requirements.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	None.

## 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	Common name and synonyms	CAS number	%
Q3 Videt			9
Hydrogen Peroxide		7722-84-1	5 - < 10
Fragance			< 0.3
Other components below reportable levels			80 - < 90

\*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures	
Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Wash off with soap and water. Get medical attention if irritation develops and persists.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.
Ingestion	Call a physician or poison control center immediately. Rinse mouth thoroughly. If swallowed, do NOT induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.
Most important symptoms/effects, acute and delayed	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

## 5. Fire-fighting measures

Suitable extinguishing media Unsuitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.

## 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	This product is miscible in water. Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
Environmental precautions	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground.

# 7. Handling and storage Precautions for safe handling

Do not get this material in contact with eyes. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

**Conditions for safe storage, including any incompatibilities** Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

## 8. Exposure controls/personal protection

#### **Occupational exposure limits**

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value
Hydrogen Peroxide (CAS 7722-84-1)	PEL	1.4 mg/m3
		1 ppm
US. ACGIH Threshold Limi		
Components	Туре	Value
Hydrogen Peroxide (CAS 7722-84-1)	TWA	1 ppm
US. NIOSH: Pocket Guide t	to Chemical Hazards	
Components	Туре	Value
Hydrogen Peroxide (CAS 7722-84-1)	TWA	1.4 mg/m3
		1 ppm
Biological limit values	No biological exposure limits noted	for the ingredient(s).
Appropriate engineering controls	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station.	
Individual protection measures	s, such as personal protective equip	ment
Eye/face protection	Do not get in eyes. Chemical safety	goggles when working with concentrate.
Skin protection		
Hand protection	Wear protective gloves. Neoprene	or butyl rubber gloves are recommended.
Other	Avoid contact with the skin. Wear suitable protective clothing and gloves. Wear suitable protective clothing.	
<b>Respiratory protection</b>	Not normally required with adequate ventilation.	
Thermal hazards	None known.	
General hygiene considerations	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.	
9. Physical and chemical	properties	
Appearance	Clear, yellow liquid (yellow color fac	des with age)
Physical state	Liquid.	
Form	Liquid.	
Color	Colourless to light yellow.	
Odor	Citrus odor	
Odor threshold	Not Available	
рН	3.5 - 4.6	
Melting point/freezing point	Not Available	

206 °F (96.67 °C)

Initial boiling point and boiling

Flammability (solid, gas)	Not available.
Upper/lower flammability or expl Explosive limit - lower (%)	osive limits Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	17.6 mm Hg
Vapor density	0.62 Air=1
Relative density	1.027 at 77°F
Solubility(ies)	
Solubility (water)	Complete
Partition coefficient (n-octanol/water)	Not Available
Auto-ignition temperature	Not Available
Decomposition temperature	Not Available
Viscosity	Not Available
Other information	
Density	8.55 lb/gal
Percent volatile	92 - 94 %
Specific gravity	1.03
VOC (Weight %)	0 %

# 10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Avoid temperatures exceeding the flash point. Contact with incompatible materials.
Incompatible materials	Metals. Strong reducing agents. Alkalies. Combustible material. Heavy Metal Salts
Hazardous decomposition products	No hazardous decomposition products are known.

# 11. Toxicological information

#### Information on likely routes of exposure

IARC Monographs. Overall I Hydrogen Peroxide (CAS	Evaluation of Carcinogenicity	3 Not classifiable as to carcinogenicity to humans.	
Carcinogenicity	This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.		
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.		
Skin sensitization	This product is not expected to cause skin sensitization.		
<b>Respiratory sensitization</b>	Not a respiratory sensitizer.		
Respiratory or skin sensitization	1		
Serious eye damage/eye irritation	Causes serious eye damage.		
Skin corrosion/irritation	Prolonged skin contact may cause temporary irritation.		
Acute toxicity	Not available.		
Information on toxicological effe	ects		
Symptoms related to the physical, chemical and toxicological characteristics	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.		
Ingestion SUPROX RESTROOM CLEA	Expected to be a low ingestion NER	hazard. 5000 mg/kg	
Eye contact	Causes serious eye damage.		
Skin contact	No adverse effects due to skin contact are expected.		
Inhalation	Prolonged inhalation may be harmful.		
Inhalation	Prolonged inhalation may be h	armful.	

#### US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.	
Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.
Specific target organ toxicity - single exposure	Not classified.
Specific target organ toxicity - repeated exposure	Not classified.
Aspiration hazard	Prolonged inhalation may be harmful.
Chronic effects	Prolonged inhalation may be harmful.

## 12. Ecological information

Ecotoxicity	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.			
Persistence and degradability	No data is available on the degradability of this product.			
Bioaccumulative potential	No data available.			
Mobility in soil	No data available.			
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.			

## 13. Disposal considerations

Disposal instructions	Buyer assumes all risk and liability associated with disposal of this product (original concentration or dilution) in violation of applicable law.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions). Waste from normal product use may be sewered to a public owned treatment works (POTW) in compliance with applicable Federal, State, and local pretreatment requirements.
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Triple rinse (or equivalent). Then offer clean, dry container for recycling or reconditioning.

## 14. Transport information

#### DOT

Not regulated as dangerous goods.

## 15. Regulatory information

US federal regulations	This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication
	Standard, 29 CFR 1910.1200.
	All components are on the U.S. EPA TSCA Inventory List.

#### TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

#### SARA 304 Emergency release notification

Hydrogen Peroxide (CAS 7722-84-1)1000 LBSUS. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

**Hazard categories** 

#### Superfund Amendments and Reauthorization Act of 1986 (SARA)

Immediate Hazard - Yes
Delayed Hazard - No
Fire Hazard - No
Pressure Hazard - No
Reactivity Hazard - No

#### SARA 302 Extremely hazardous substance

Chemical name	CAS number	Reportable quantity	Threshold planning quantity	Threshold planning quantity, lower value	Threshold planning quantity, upper value
Hydrogen Peroxide	7722-84-1	1000	1000 lbs		
SARA 311/312 Hazardo chemical	us No				
SARA 313 (TRI reportin Not regulated.	g)				
her federal regulations Safe Drinking Water Ac (SDWA)	t Not regulat	ed.			
state regulations					
US. California Controlle	ed Substances. C	A Department	of Justice (California	Health and Safety Cod	le Section 11100)
Not listed.					
US. Massachusetts RT	K - Substance Lis	st			
Hydrogen Peroxide ( US. New Jersey Worker	· /	Right-to-Know	Act		
Hydrogen Peroxide (	(CAS 7722-84-1)				
US. Pennsylvania Work	er and Commun	ity Right-to-Kno	ow Law		
Hydrogen Peroxide ( US. Rhode Island RTK	(CAS 7722-84-1)				
Hydrogen Peroxide (	(CAS 7722-84-1)				
US. California Proposit	ion 65				
California Safe Drink any chemicals curre				on 65): This material is r	not known to contain
ernational Inventories					
Country(s) or region	Inventory	name			On inventory (yes/no
United States & Puerto R	lico Toxic Subs	tances Control A	Act (TSCA) Inventory		Ye
*A "Yes" indicates that all co A "No" indicates that one or country(s).					

# 16. Other information, including date of preparation or last revision

•				
Issue date	02-24-2015			
Version #	01			
Further information	This product meets Green Seal <sup>™</sup> Standard GS-37 based on effective performance, concentrated volume, minimized/recycled packaging and protective limits on: VOCs and human & environmental toxicity. Acute toxicity, skin and eye damage met requirements at the as-used dilution, as specified for closed dilution systems. GreenSeal.org.			
HMIS® ratings	Health: 3 Flammability: 0 Physical hazard: 1			
Disclaimer	No representations or warranties, either express or implied, of merchantability, fitness for a particular purpose, or of any nature are made with respect to the product(s) or information contained in this material safety data sheet. The information and recommendations contained in this Material Safety Data Sheet are supplied pursuant to 29 CFR 1910.1200 of the Occupational Safety and Health Standards Hazard Communication Rule. All information contained herein is presented in good faith and is believed to be appropriate and accurate. The buyer or user assumes all risks associated with the use, misuse or disposal of this product. The buyer or user is responsible to comply with all federal, state or local regulations concerning the use, misuse or disposal of these products.			