



www.berkshire.com

According to OSHA Hazard Communication Standard 29 CFR 1910.1200 (GHS)

Product name	Clearon EZ Bleach Disinfectant Tablets	
Product id	EZBDT101	.
Revision date	14/07/2014	Revision: 1

Chemical name	Clearon Bleach Tablets
Synonym(s)	Effervescent NaDCC Tablets.
Type of product and use	Multi-purpose product including bleaching, cleaning, and deodorizing.
Supplier	Clearon Corp. 95 MacCorkle Ave. SW, South Charleston, WV 25303, USA Toll Free Number: 1-800-811-2327
Emergency Telephone	Medical: (800) 420-9236 Chemtrec: (800) 424-9300

2. Hazards identification

GHS classificationEye Irrit. 2, H319 Causes serious eye irritation
STOT SE 3, H335 May cause respiratory irritation
Aquatic Acute 1, H400 - Very toxic to aquatic life
Aquatic Chronic 1, H410 - Very toxic to aquatic life with long lasting effects

Labels and other form of warning

Symbol(s)



Signal Word

Hazard statements

WARNING

H319 - Causes serious eye irritation
H335 - May cause respiratory irritation
H410 - Very toxic to aquatic life with long lasting effects
EUH031 - Contact with acids liberates toxic gas





According to OSHA Hazard Communication Standard 29 CFR 1910.1200 (GHS)

Product name Product id Revision date	Clearon EZ Bleach Disinfectant Tablets EZBDT101 14/07/2014	Revision: 1
Precautionary statements	 P261 - Avoid breathing dust/fume/gas/mist/vapors/spray P264 - Wash hands thoroughly after handling P271 - Use only outdoors or in a well-ventilated area P273 - Avoid release to the environment P280 - Wear protective gloves/protective clothing/eye protection/face P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for seminutes. Remove contact lenses, if present and easy to do. Continue P337 + P313 - If eye irritation persists: Get medical advice/attention P304 + P340 - IF INHALED: Remove person to fresh air and keep cobreathing P312 - Call a POISON CENTER or doctor/physician if you feel unwe P391 - Collect spillage P403 + P233 - Store in a well-ventilated place. Keep container tightly P405 - Store locked up P501 - Dispose of contents/container in accordance with national and regulations 	everal e rinsing omfortable for II v closed

3. Composition / information on ingredients

Components	CAS No.	Weight %
DICHLOROISOCYANURIC ACID, SODIUM	2893-78-9	30-62.5
SALT OF		
INERT INGREDIENTS		37.5-70

4. First-aid measures	
Eye contact	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
Skin contact	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
Inhalation	Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.





According to OSHA Hazard Communication Standard 29 CFR 1910.1200 (GHS)

Product name Product id Revision date	Clearon EZ Bleach Disinfectant TabletsEZBDT10114/07/2014Revision: 1
Ingestion	Call poison control center, or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.
Most important symptoms and	effects, acute or delayed
- Eye Contact	This material is corrosive to the eye. Direct contact may cause severe irritation, pain and burns, possibly severe, and permanent damage including blindness. The degree of injury depends on the concentration and duration of contact.
- Skin contact	Direct contact with wet material or moist skin may cause severe irritation, pain, and possibly burns. Dry material is less irritating than wet material. This material is not a skin sensitizer based on studies with guinea pigs.
- Inhalation	This material contained in this tablet in solid form is not expected to produce respiratory effects. Particles of respirable size are generally not encountered. The respirable fraction for the tablet active ingredient is typically less than 0.1% by weight for the granular and extra granular grades. If it is ground or otherwise in a powdered form, effects similar to a corrosive substance may occur. May cause severe irritation of the respiratory tract with coughing, choking, pain and possibly burns of the mucous membranes. If significant or prolonged exposure occurs, pulmonary oedema may develop, either immediately or more often within a period of 5-72 hours. The symptoms may include tightness in the chest, dyspnea, frothy sputum, cyanosis, and dizziness. Physical findings may include moist rales, low blood pressure and high pulse pressure. Severe cases may be fatal.
- Ingestion	Not a likely route of exposure. Harmful if swallowed. Ingestion may cause immediate pain and severe burns of the mucous membranes. There may be discoloration of the tissues. Swallowing and speech may be difficult at first and then almost impossible. The effects on the oesophagus and gastrointestinal tract may range from irritation to severe corrosion. Oedema of the epiglottis and shock may occur
Note to physician	No specific antidote. Treat symptomatically and supportively. Probable mucosal damage may contraindicate the use of gastric lavage.
Medical conditions aggravated by exposure	Eye disorders, respiratory disorders, skin disorders and allergies





According to OSHA Hazard Communication Standard 29 CFR 1910.1200 (GHS)

Product name Product id Revision date	Clearon EZ Bleach Disinfectant Tablets EZBDT101 14/07/2014	Revision: 1
5. Fire - fighting meas	ures	
Suitable extinguishing media	Large amounts of water may be needed and the flow of water should stopped until the fire/reaction has stopped.	not be
Extinguishing media not to be used	Avoid using dry chemicals, carbon dioxide or halogenated extinguish	ing agents.
Unusual fire and explosion hazards	When heated to decomposition, may release poisonous and corrosiv nitrogen trichloride, nitrogen, cyanogen chloride, phosgene, chlorine	
Fire fighting procedure	Cool containers with water spray. Fire fighters should wear full protect and self-contained breathing apparatus (SCBA) in positive pressure in small fires, use water spray or fog. On large fires, use heavy deluge of streams. Flooding amounts of water may be required before extinguise be accomplished.	mode. On or fog

6. Accidental release measures		
Personal precautions	Avoid contact with skin, eyes and clothing. Chemical safety goggles Chemical resistant gloves	
Methods for cleaning up	Hazardous concentrations in air may be found in local spill area and immediately downwind. If spill material is still dry, do not put water directly on this product as a gas evolution may occur. Do not close containers containing wet or damp material. Do not transport damp or wet material.	
Environmental precautions	Prevent flow of material into water source and begin monitoring available chlorine and pH immediately.	
- Soil	Do not contaminate spill material with any organic materials, ammonia, ammonium salts or urea. Clean up all spill material with clean, dry dedicated equipment and place in a clean dry container.	
- Water	This material is heavier than and soluble in water. Stop flow of material into water as soon as possible. Begin monitoring for available chlorine and pH immediately.	
- Air	Vapors may be suppressed by the use of water fog.	





According to OSHA Hazard Communication Standard 29 CFR 1910.1200 (GHS)

Product name Product id Revision date	Clearon EZ Bleach Disinfectant Tablets EZBDT101 14/07/2014	Revision: 1
7. Handling and stora	ge	
Handling	Avoid contact with skin, eyes, and clothing. Upon contact with skin o off with water. Avoid breathing the substance. Use respiratory protect exposure is possible. Vapour space in a closed container may contain amount of chlorine gas and compounds from decomposition of the pr	ction when in a slight
Storage	Store in a dry, cool (< 25°C), well ventilated area away from incomparaterials (see "materials to avoid"). Do not allow water to get into the	

8. Exposure controls / personal protection

Exposure Limits :

Components	ACGIH-TLV Data	OSHA (PEL) Data
DICHLOROISOCYANURIC ACID, SODIUM	Not determined	Not determined
SALT OF		
2893-78-9		
ADIPIC ACID	5 mg/m³	Not determined
124-04-9	-	
SODIUM BICARBONATE	Not determined	Not determined
144-55-8		
SODIUM CARBONATE	Not determined	Not determined
497-19-8		

Ventilation requirements This material should be handled in a well-ventilated area. Use local exhaust as necessary, especially under dusty conditions.

Personal protective equipment:

 Respiratory protection Hand protection 	In case of insufficient ventilation wear suitable respiratory equipment. Chemical resistant gloves, PVC or nitrile recommended
Eye protectionSkin and body protection	Chemical safety goggles Use protective clothing impervious to this material.
Hygiene measures	Do not eat, smoke or drink where material is handled, processed or stored.

ygiene measuresDo not eat, smoke or drink where material is handled, processed or stored. Wash
hands thoroughly after handling and before eating or smoking. Safety shower and
eye bath should be provided.

9. Physical and chemical properties

Appearance	White to off white tablets
Odor	Slight chlorine.
рН	5-6





According to OSHA Hazard Communication Standard 29 CFR 1910.1200 (GHS)

Product name Product id Revision date	Clearon EZ Bleach Disinfectant Tablets EZBDT101 14/07/2014	Revision: 1
Boiling point/range	Not applicable	
Flash point	Not applicable	
Evaporation rate (ether=1)	Not applicable under standard conditions	
Flammability (solid, gas)	Not flammable	
Vapor pressure	Not applicable under standard conditions	
Vapor density	Not applicable under standard conditions	
Solubility:		
- Solubility in water	Completely miscible	
Partition coefficient	Log Kow - 0	
(n-octanol/water)		
Auto-ignition temperature	Not applicable	
Decomposition temperature	225-250°C (437-482°F)	

10. Stability and reactivity

Reactivity	Contact with small amounts of water may result in an exothermic reaction with the liberation of toxic fumes.
Stability	Stable under normal conditions
Possibility of hazardous reactions	Contact with acid liberates toxic gases If heated by outside source to temperatures above 240°C (464°F), this product will undergo decomposition with the evolution of noxious gases.
Conditions to avoid	Heating above decomposition temperature. Contamination with moisture, organic matter or other chemicals may start a chemical reaction with generation of heat, liberation of hazardous gases, and possible generation of fire and explosion.
Materials to avoid	Strong acids and/or alkalines. Reducing agents. Combustible material. The active ingredient in this preparation is a strong oxidising agent. The preparation of concentrated solutions or slurries is not recommended. Avoid contact with water on concentrated material in the container. Also avoid contact with easily oxidisable organic material: ammonia, urea or similar nitrogen containing compounds; inorganic reducing compounds; floor sweeping compounds; calcium hypochlorite and alkalis.
Hazardous decomposition products	Nitrogen trichloride, nitrogen, cyanogen chloride, phosgene, chlorine and CO.

11. Toxicological information

Note:	The toxicological data refer only to the active ingredient unless otherwise specified
Likely Routes of Exposure	Skin Eye contact Inhalation Ingestion { Page 6 of 10 }





According to OSHA Hazard Communication Standard 29 CFR 1910.1200 (GHS)

Product name Product id Revision date	Clearon EZ Bleach Disinfectant Tablets EZBDT101 14/07/2014 Revisio	on: ´
Acute toxicity: - Rat oral LD50	>2000 mg/kg (the product as a whole)	
- Rabbit dermal LD50	>5000 mg/kg	
- Rat inhalation LC50	0.27-1.17 mg/L/4h	
- Dermal irritation (rabbit)	Moderate irritant	
- Eye irritation (rabbit)	Severe irritant	
Dermal sensitization	Not a sensitizer	
Chronic toxicity	Chronic inhalation exposure may cause impairment of lung function and permanent lung damage. Based on animal studies, exposure to concentratior monosodium cyanurate at the solubility limit may cause cardiovascular, kidne and urinary bladder effects.	
Mutagenicity	Not mutagenic by the Ames Test.	
Carcinogenicity	Not known to be a carcinogen. Not classified by IARC, OSHA, EPA. Not included in NTP 13th Report on Carcinogens	
Reproductive toxicity	No data available	
12. Ecological inform	nation	
Note:	The environmental toxicity data mentioned below are from studies conducted the active ingredient.	on
Aquatic toxicity :	0.12.0.26 mg/l (Bainhaw traut)	

- 96 Hour-LC50, Fish	0.13-0.36 mg/l (Rainbow trout) 0.25-1.0 mg/l (Bluegill sunfish) 1.21 mg/l (Inland silverside)
- 96 Hour-EC50,Marine Invertebrate	1.65 mg/l (96h, Mysid shrimp)
- 48 Hour-EC50,Marine Invertebrate	0.196 mg/l (Water flea)

Avian toxicity: - Oral LD50, Bobwhite quail 1732 mg/kg





According to OSHA Hazard Communication Standard 29 CFR 1910.1200 (GHS)

Product name Product id Revision date	Clearon EZ Bleach Disinfectant TabletsEZBDT10114/07/2014Revision: 1
- Oral LD50, Mallard duck	1916 mg/kg
- Dietary LC50, Mallard duck - Dietary LC50, Bobwhite quail	>10,000 ppm 10,000 ppm
Persistence and degradability	The materials used in this preparation will not persist in the environment. The free available chlorine from Sodium dishloroisocyanurate is rapidly consumed by reaction with organic and inorganic materials to produce chloride ion. The stable degradation products are chloride ion and cyanuric acid. Sodium Dichloroisocyanurate is subject to hydrolysis. Cyanuric acid produces by hydrolysis is biodegradable.
Bioaccumulative potential	Not bioaccumulative
Note:	Not considered to be PBT or vPvB
13. Disposal considerations	
Waste disposal	Avoid access to streams, lakes or ponds. Observe all federal, state and local environmental regulations when disposing of this material. Do not transport damp or wet material. Neutralise materials to a non-oxidising state for safe disposal.
Disposal of Packaging	Clean Container and dispose of according to local and national regulations
14 Transportation inf	ormation

14. Transportation information

Independent tests, carried out by TNO Prins Mauritis Laboratory, conducted according to the procedure as described in the United Nations Recommendations on the Transport of Dangerous Goods, Manual of Tests and Criteria, third revised edition, test 0.1. have demonstrated that the product is not oxidizing for transport

DOT

NOT REGULATED FOR ROAD TRANSPORTATION

For Vessel only: UN No. 3077 Proper shipping name: Environmentally hazardous substance, solid, n.o.s (contains Sodium dichloro-s-triazinetrione) Class: 9 - Miscellaneous Hazardous Materials Packing Group: III Labels: 9 Note: Certain shipping modes or package sizes may have exceptions from the transport regulations and may be classified as Consumer Commodity and Limited Quantity. The classification provided may not reflect those exceptions and may not apply to all shipping modes or package sizes.





According to OSHA Hazard Communication Standard 29 CFR 1910.1200 (GHS)

Product name Product id Revision date	Clearon EZ Bleach Disinfectant TabletsEZBDT10114/07/2014Revision: 1
15. Regulatory information	ation
USA	This product is registered under FIFRA
- EPA Registration no.	71847-6-69470
- Emergency overview in accordance to EPA Master Labe	DANGER Corrosive Causes irreversible eye damage Harmful if swallowed, inhaled or absorbed through the skin Strong oxidizing agent
CERCLA/SARA - 302 ext. haz. substances	This material contains hazardous substance (Adipic Acid) as defined by CERCLA/SARA and the Reportable Quantity (RQ) is 5000 lbs.
- SARA (311, 312)	This product is categorized as an immediate health hazard, and fire and reactivity physical hazard (Sodium dichloroisocyanurate)
- Massachusetts Right-to-Know Hazardous Substances list	Listed (Adipic Acid, Sodium dichloroisocyanurate)
- New Jersey Right-to-Know Hazardous Substances list	Listed (Adipic Acid, Sodium dichloroisocyanurate)
- Pennsylvania Right-to-Know Hazardous Substances list	Listed (Adipic Acid, Sodium dichloroisocyanurate)
- Rhode Island Right-to-Know Hazardous Substances list	Listed (Adipic Acid, Sodium dichloroisocyanurate)
Canada	Listed in DSL
WHMIS hazard class	For Sodium dichloroisocyanurate: C oxidizing materials D1B Toxic material causing immediate and serious toxic effects D2B Toxic materials causing other toxic effects
	For Sodium Carbonate: E corrosive material D2B Toxic materials causing other toxic effects
EU	All ingredients are reported in EINECS





Revision: 1

SAFETY DATA SHEET

According to OSHA Hazard Communication Standard 29 CFR 1910.1200 (GHS)

Product name	Clearon EZ Bleach Disinfectant Tablets
Product id	EZBDT101
Revision date	14/07/2014

16. Other information

All sections reformatted in accordance with OSHA Hazard Communication Standard 29 CFR 1910.1200 (GHS)

Although the information and recommendations set forth herein (hereinafter "information") are presented in good faith and believed to be correct as of the date hereof, Clearon Corp. makes no representations as to the completeness or accuracy thereof. Information is supplied upon the condition that the persons receiving same will make their own determination as to its safety and suitability for their purposes prior to use. In no event will Clearon Corp. be responsible for damages of any nature whatsoever resulting from the use of or reliance upon information. NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESSED OR IMPLIED, OF MERCHANT ABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE, ARE MADE HEREUNDER WITH RESPECT TO INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.

Prepared by

North America Regulatory Affairs ICL-IP America Inc. 95 MacCorkle Ave.,S.W. South Charleston,WV 25303, USA Phone number:(304)746-3000

End of safety data sheet